



**DREAMS ELECTRONICS**



**2021**



## **CONTACT US FOR MORE DETAILS**

Plot No 256 Ecotech-3 extension -1,  
Near New Thana, Greater Noida - 201306 U.P. (INDIA)



+91-7503391477, +91-8285831019

✉ [info@dreamselectronics.in](mailto:info@dreamselectronics.in)



[www.dreamselectronics.in](http://www.dreamselectronics.in)



# DREAMS ELECTRONICS


## PROFILE SUMMARY

### About Company

Dreams Electronics offers comprehensive EMS (electronics manufacturing service) solutions. The company was established in the year 2020, and in a relatively short time span of a little over a decade.

The head office is located in Ecotech-III, Extension-I, Greater Noida. Our founder is well-known and highly respected in the fields of Electronic Manufacturing Services and Manufacture of Accessories. He is a qualified professional in electronics and more than 20 years' experience in the fields of Design and Development and manufacture of electronic accessories & appliances. He has achieved the vertical growth of Dreams Electronics.

We at Dreams Electronics believe time is of utmost essence in any dealing, and in-keeping with our belief, we strive to accomplish total customer satisfaction by delivering products and services of the highest quality on time.





**SQUARE**



**ROUND**

## High Lumens LED Panel Lights Recess

| Technical Details | DRE 3   | DRE 6   | DRE 12   | DRE 18   | DRE 24   |
|-------------------|---------|---------|----------|----------|----------|
| Total Wattage     | 3 Watt  | 6 Watt  | 12 Watt  | 18 Watt  | 24 Watt  |
| Total Lumens      | >255 Lm | >530 Lm | >1050 Lm | >1550 Lm | >2040 Lm |
| CutOut Size (mm)  | 87      | 107     | 157      | 210      | 315      |
| Dimension (mm)    | 86x86   | 105x105 | 154x154  | 205x205  | 305x305  |

|                       |            |                   |                   |
|-----------------------|------------|-------------------|-------------------|
| Working Voltage Range | 110-300VAC | Harmonics THD     | <10%              |
| CRI                   | >85        | Color Temperature | 3000K/4500k/6500k |
| Power Factor          | >0.9       | Type LED          | SMD               |
| Housing               | APDC       |                   |                   |





## High Lumens LED Flood & Highbay Lights Recess

| Flood Light   | DRE 30   | DRE 50   | DRE 100   | DRE 150   | DRE 250   | DRE 300   |
|---------------|----------|----------|-----------|-----------|-----------|-----------|
| Total Wattage | 30 Watt  | 50 Watt  | 100 Watt  | 150 Watt  | 250 Watt  | 300 Watt  |
| Total Lumens  | >3000 Lm | >5000 Lm | >10000 Lm | >15000 Lm | >27500 Lm | >33000 Lm |

| Highbay Light | DRE 50   | DRE 100   | DRE 150   | DRE 200   |
|---------------|----------|-----------|-----------|-----------|
| Total Wattage | 50 Watt  | 100 Watt  | 150 Watt  | 200 Watt  |
| Total Lumens  | >5000 Lm | >10000 Lm | >15000 Lm | >20000 Lm |

|                       |            |                   |                   |
|-----------------------|------------|-------------------|-------------------|
| Working Voltage Range | 110-300VAC | Harmonics THD     | <10%              |
| CRI                   | >85        | Color Temperature | 3000K/4500k/6500k |
| Power Factor          | >0.9       | Working Temp.     | up to 60          |
| Housing               | APDC       | Serge Protection  | 5/7 KVA           |
| IP                    | 65/67      |                   |                   |





## High Lumens LED Solar Lights (Range 9w to 24w)



Semi Integrated Solar Street Light



## High Lumens LED Street Lights

| Street Light  | DRE 30   | DRE 60   | DRE 90   | DRE 120   | DRE 150   | DRE 200   |
|---------------|----------|----------|----------|-----------|-----------|-----------|
| Total Wattage | 30 Watt  | 60 Watt  | 90 Watt  | 120 Watt  | 150 Watt  | 200 Watt  |
| Total Lumens  | >3000 Lm | >6600 Lm | >9900 Lm | >13200 Lm | >16500 Lm | >22000 Lm |

|                       |            |                   |                   |
|-----------------------|------------|-------------------|-------------------|
| Working Voltage Range | 110-300VAC | Harmonics THD     | <10%              |
| CRI                   | >85        | Color Temperature | 3000K/4500k/6500k |
| Power Factor          | >0.9       | LED Type          | SMD/Hi Power      |
| IP                    | 65/67      | Serge Immunity    | 5/7 KVA           |



## High Lumens Cob Spot Light





**DREAMS ELECTRONICS**

# ***DREAMS ELECTRONICS***

**Plot No 256 Ecotech-3 extension -1,**

**Near New Thana, Greater Noida Uttar Pradesh 201306 (INDIA)**

**email: [info@dreamselectronics.in](mailto:info@dreamselectronics.in) | website: [www.dreamselectronics.in](http://www.dreamselectronics.in)**

**Ph: +91-7503391477 / +91-8285831019**

